

# Product Data

## Multi-Purpose, High Performance Anti-Seize Compound

Belzona® 8211 (HP Anti-Seize) is a high performance anti-seize treatment for the prevention of seizure and galling of mating components, subject to high temperatures, corrosion, chemicals and mechanical interlocking.

### Belzona® 8211 (HP Anti-Seize) will:

- Extend equipment life
- Provide long term protection
- Resist vibration, contraction, expansion and corrosion
- Assist equipment strip down

This multi-purpose and metal-free material will not corrode or react with dissimilar metals. It is suitable for application to most metal substrates including chrome, molybdenum, vanadium, titanium, stainless steel and nimonics. The product does not contain any copper, silicon, lead compounds or Molybdenum Disulphide, and is specially formulated to have low chloride and sulphur content.

## Belzona® 8211 HP Anti-Seize



Bolts



Nuts



Process Equipment



Splines

### Applications for Belzona® 8211 (HP Anti-Seize) include:

- Nuts
- Bolts
- Couplings
- Sprockets
- Pulleys
- Keys
- Sleeves
- Splines
- Fulcrum pins
- Studs

[www.belzona.com](http://www.belzona.com)

Belzona® provides the solution to your repair and maintenance needs.

  
**BELZONA**<sup>®</sup>  
Repair • Protect • Improve

# Belzona® 8211 (HP Anti-Seize) is:

## Simple

- Easily applied
- No specialist tools required

## Safe

- Contains no metals
- Extremely low chloride and sulphur contents

## Versatile

- Excellent anti-seize properties across a wide temperature range up to 1100°C (2000°F)
- Easy dismantling and breakout even after long periods
- Can be applied to porous surfaces

## Effective

- Chemical resistant
- Resists vibration, contraction and expansion
- Excellent resistance to washout and corrosion

**Belzona® 8211**  
HP Anti-Seize



## QUALITY PRODUCTS - TECHNICAL SUPPORT

The Belzona product range is manufactured through stringent quality and environmental control guidelines complying with the internationally recognised requirements of **ISO 9001:2008** and **ISO 14001:2004**.

Belzona has a global distribution network of over 140 Distributors operating in 120 countries. Local support is provided by a trained Technical Consultant who will diagnose the problem, recommend the solution and provide 24 hour on-site application supervision and advice.

For more information, please contact your local Belzona representative:

For further detailed information refer to:

- Belzona® **Product Specification**
- Belzona® **Instructions For Use**
- Belzona® **KNOW-HOW** *In Action*

Copyright © 2009 by Belzona® International Ltd. All rights reserved. No part of this work covered by the copyrights hereon may be reproduced or used in any other form or by any means – graphic, electronic, or mechanical including photocopying, recording, taping, or information storage and retrieval systems – without permission of the publisher. Belzona® and Belestas® are registered trademarks.

[www.belzona.com](http://www.belzona.com)



**Europe & Africa**  
Belzona Polymers Ltd.  
Harrogate, UK  
t: +44 1423 567641  
f: +44 1423 505967  
e: [belzona@belzona.co.uk](mailto:belzona@belzona.co.uk)

**The Americas**  
Belzona Inc.  
Miami, FL USA  
t: +1 (305) 594-4994  
f: +1 (305) 599-1140  
e: [belzona@belzona.com](mailto:belzona@belzona.com)

**Asia & Oceania**  
Belzona Asia Pacific  
Laem Chabang, Thailand  
t: +66 38 378099  
f: +66 38 378098  
e: [belzona@belzona.cn](mailto:belzona@belzona.cn)

**China**  
Belzona Hong Kong  
Hong Kong, China  
t: +852 3101 7461  
f: +852 3101 7530  
e: [belzona@belzona.hk](mailto:belzona@belzona.hk)

